


# STAINLESS STEEL- CABLING



Our range of imported German wire ropes are manufactured with AISI 316 stainless steel strands which are twisted together to form a helix. Single wires twisted together form the strands, either in 1 x 19 core, or 7 x 19 core.

For straight line applications, 1 x 19 cable is used, and in flexible applications, 7 x 19 cable is used.

## Wire - 1 x 19 Strand



### CONSTRUCTION 19 single strands

- Strongest
- Lowest stretch
- Least flexible

### USES

Architectural, Structural rigging,  
Balustrading.

size dia mm	mass kg/100 m	breaking load kg	CB CODE
1.5	1.20	180	119015
2	2	320	119002
2.5	3.10	500	119025
3	4.50	700	119003
4	8.00	1250	119004
5	12.51	2000	119005
6	17.85	2850	119006
8	31.70	4600	119008
10	49.55	7200	119010

## Wire - 7 x 19 Strand



### CONSTRUCTION 7 strands of 19 wires

- Most Flexible

### USES

Lifting, Running Rigging.

size dia mm	mass kg/100 m	breaking load kg	CB CODE
2	1.6	275	71902
2.5	2.4	420	719025
3	3.42	610	71903
4	6.09	900	71904
5	9.52	1400	71905
6	13.80	2000	71906

## Cable Cutters



size length cm	For cable dia	CB CODE
60	8 mm max	25326
66	12 mm max	25327

# STAINLESS STEEL – RIGGING



All Rigging components for Marine, Architectural and Industrial sectors are manufactured from Stainless Steel AISI 316 to the highest standards.

Below is an example of components suitable for wire rigging systems in both Marine and Architectural applications.



# STAINLESS STEEL – RIGGING

Swage Fork Rigging Screw



Size mm	CB CODE
M6 Swage Fork Rigging Screw - 4 mm	120406
M8 Swage Fork Rigging Screw - 5 mm	120508
M10 Swage Fork Rigging Screw - 6 mm	120610

Jaw and Jaw Rigging Screw



Size mm	CB CODE
M5 Jaw and Jaw Rigging Screw	852005
M6 Jaw and Jaw Rigging Screw	852006
M8 Jaw and Jaw Rigging Screw	8520008
M10 Jaw and Jaw Rigging Screw	8520010
M12 Jaw and Jaw Rigging Screw	8520012

Swage Fork Terminal



Size mm	CB CODE
Swage Fork terminal - 4mm	100504
Swage Fork terminal - 5mm	100605
Swage Fork terminal - 6mm	109506
Swage Fork terminal - 8mm	101208

Swage Eye terminal



Size mm	CB CODE
Swage Eye terminal - 4mm	190004
Swage Eye terminal - 5mm	190005
Swage Eye terminal - 6mm	190006

Swage Threaded terminal



Size mm	CB CODE
M6 Swage Threaded terminal - 4mm	900406
M8 Swage Threaded terminal - 5mm	900508
M10 Swage Threaded terminal - 6mm	900610

Eye Bolt



Size mm	CB CODE
Eye Bolt with Flange - M6 x 30mm	85370630
Eye Bolt with Flange - M6 x 60 mm	85370660
Eye Bolt with Flange - M6 x 100 mm	85370600
Eye Bolt with Flange - M8 x 35 mm	85370835
Eye Bolt with Flange - M8 x 80 mm	85370880
Eye Bolt with Flange - M10 x 100 mm	85371000

Threaded Terminal Adjuster



Size mm	CB CODE
M6 Threaded Terminal Adjuster	160604
M8 Threaded Terminal Adjuster	160806

Swage Dome Head terminal



Size mm	CB CODE
Swage Dome Head - 4 mm	660004
Swage Dome Head - 5 mm	100005

Wire Rope Stopper



Size mm	CB CODE
Wire Rope Stopper - 3mm	650003
Wire Rope Stopper - 4mm	650004
Wire Rope Stopper - 5mm	650005